




let's connect
with
safe & secure people



HARISONS®
THE ELECTRIC PEOPLE

SWITCHGEARS

AN ISO 9001:2015 CERTIFIED CO.



For More Information
Check Our Website

PRICE LIST W.E.F.
19 JUNE 2021



HARISONS®
THE ELECTRIC PEOPLE

Mcb & Isolator





SINGLE POLE MCB

CODE	AMPS.	RATE	PKG.
HM-001	6 AMP.	160.00	12
HM-002	10 AMP.	160.00	12
HM-003	16 AMP.	160.00	12
HM-004	20 AMP.	160.00	12
HM-005	25 AMP.	160.00	12
HM-006	32 AMP.	160.00	12
HM-007	40 AMP.	255.00	12
HM-008	63 AMP.	335.00	12



SPN MCB

CODE	AMPS.	RATE	PKG.
HM-009	6 AMP.	390.00	6
HM-010	10 AMP.	390.00	6
HM-011	16 AMP.	390.00	6
HM-012	20 AMP.	390.00	6
HM-013	25 AMP.	390.00	6
HM-014	32 AMP.	390.00	6
HM-015	40 AMP.	480.00	6
HM-016	63 AMP.	560.00	6



DOUBLE POLE MCB

CODE	AMPS.	RATE	PKG.
HM-017	6 AMP.	390.00	6
HM-018	10 AMP.	390.00	6
HM-019	16 AMP.	390.00	6
HM-020	20 AMP.	390.00	6
HM-021	25 AMP.	390.00	6
HM-022	32 AMP.	390.00	6
HM-023	40 AMP.	480.00	6
HM-024	63 AMP.	560.00	6
HM-025	40 AMP. ISO	445.00	6
HM-026	63 AMP. ISO	520.00	6



HARISONS®
THE ELECTRIC PEOPLE

Mcb & Isolator

TRIPLE POLE MCB

CODE	AMPS.	RATE	PKG.
HM-027	6 AMP.	570.00	4
HM-028	10 AMP.	570.00	4
HM-029	16 AMP.	570.00	4
HM-030	20 AMP.	570.00	4
HM-031	25 AMP.	570.00	4
HM-032	32 AMP.	570.00	4
HM-033	40 AMP.	660.00	4
HM-034	63 AMP.	775.00	4
HM-035	40 AMP. ISO	635.00	4
HM-036	63 AMP. ISO	770.00	4



TPN MCB

CODE	AMPS.	RATE	PKG.
HM-037	6 AMP.	870.00	3
HM-038	10 AMP.	870.00	3
HM-039	16 AMP.	870.00	3
HM-040	20 AMP.	870.00	3
HM-041	25 AMP.	870.00	3
HM-042	32 AMP.	870.00	3
HM-043	40 AMP.	985.00	3
HM-044	63 AMP.	1090.00	3



FOUR POLE MCB

CODE	AMPS.	RATE	PKG.
HM-045	6 AMP.	870.00	3
HM-046	10 AMP.	870.00	3
HM-047	16 AMP.	870.00	3
HM-048	20 AMP.	870.00	3
HM-049	25 AMP.	870.00	3
HM-050	32 AMP.	870.00	3
HM-051	40 AMP.	985.00	3
HM-052	63 AMP.	1090.00	3
HM-053	40 AMP. ISO	915.00	3
HM-054	63 AMP. ISO	1035.00	3





HARISONS®
THE ELECTRIC PEOPLE

Residual Current Circuit Breaker

RCCB

RCCB DOUBLE POLE 30 MA

CODE	AMPS.	RATE	PKG.
HM-055	25 AMP. / 32 AMP.	1705.00	1
HM-056	40 AMP.	1770.00	1
HM-057	63 AMP.	1895.00	1
HM-058	100 AMP.	2068.00	1

RCCB DOUBLE POLE 100 MA

CODE	AMPS.	RATE	PKG.
HM-059	25 AMP. / 32 AMP.	1678.00	1
HM-060	40 AMP.	1760.00	1
HM-061	63 AMP.	1958.00	1
HM-062	100 AMP.	2200.00	1

RCCB FOUR POLE 30 MA

CODE	AMPS.	RATE	PKG.
HM-063	25 AMP. / 32 AMP.	1990.00	1
HM-064	40 AMP.	2080.00	1
HM-065	63 AMP.	2460.00	1
HM-066	100 AMP.	2725.00	1



RCCB FOUR POLE 100 MA

CODE	AMPS.	RATE	PKG.
HM-067	25 AMP. / 32 AMP.	1905.00	1
HM-068	40 AMP.	2020.00	1
HM-069	63 AMP.	2340.00	1
HM-070	100 AMP.	2530.00	1

Specification & Feature

- > Provides protection against earth fault/leakage current and function of isolation High breaking current withstand capacity.
- > Applicable to terminal and pin/fork type busbar connection.
- > Fire resistant plastic parts endures abnormal heating and strong impact.
- > Automatically disconnect the circuit when earth fault/leakage current occurs and exceeds the rated sensitivity.
- > Independent of power supply and line voltage, and free from external interference, voltage fluctuation.

Overall & Installation Dimensions



Technical Data

Mode	Electro-magnetic type, electronic type
Residual current characteristics	A, AC
Pole No.	2, 4
Rated making and breaking capacity	630A
Rated current(A)	25, 40, 63, 100
Rated voltage	240/41 5V AC
Rated frequency	50/60Hz
Rated residual operating current $I_{\Delta n}$ (mA)	10,30,100,300,500
Rated residual non operating current $I_{\Delta no}$	$0.5I_{\Delta n}$
Rated conditional breaking current I_{nc}	3000A
Rated conditional residual breaking current $I_{\Delta c}$	3000A
Tripping duration	Instantaneous tripping $< 0.1s$
Residual tripping current range	$0.5I_{\Delta n} \sim I_{\Delta n}$
Electro-mechanical endurance	4000 cycles
Connection capacity	Rigid conductor up to 25mm ²
Connection terminal	Screw terminal Pillar terminal with clamp
Fastening torque	2.0 Nm
Installation	On symmetrical DIN rail 35mm Panel mounting



HARISONS®
THE ELECTRIC PEOPLE

Distribution Boards

SINGLE DOOR SPN

CODE		WAY	RATE	PKG.
HM-071	SPN	4 WAY	575.00	1
HM-072	SPN	6 WAY	635.00	1
HM-073	SPN	8 WAY	790.00	1
HM-074	SPN	10 WAY	950.00	1
HM-075	SPN	12 WAY	990.00	1
HM-076	SPN	16 WAY	1460.00	1



METAL

SINGLE DOOR TPN

CODE		WAY	RATE	PKG.
HM-077	TPN	4 WAY	1870.00	1
HM-078	TPN	6 WAY	2500.00	1
HM-079	TPN	8 WAY	3110.00	1
HM-080	TPN	12 WAY	3450.00	1



METAL

DOUBLE DOOR SPN

CODE		WAY	RATE	PKG.
HM-081	SPN	4 WAY	1000.00	1
HM-082	SPN	6 WAY	1122.00	1
HM-083	SPN	8 WAY	1265.00	1
HM-084	SPN	10 WAY	1440.00	1
HM-085	SPN	12 WAY	1625.00	1
HM-086	SPN	16 WAY	1895.00	1



METAL

DOUBLE DOOR TPN

CODE		WAY	RATE	PKG.
HM-087	TPN	4 WAY	2875.00	1
HM-088	TPN	6 WAY	3280.00	1
HM-089	TPN	8 WAY	3625.00	1
HM-090	TPN	12 WAY	4500.00	1



METAL

DOUBLE DOOR SPN (WHITELINE)

CODE		WAY	RATE	PKG.
HM-091	SPN	2 / 4 WAY	720.00	1
HM-092	SPN	6 / 8 WAY	950.00	1
HM-093	SPN	10 / 12 WAY	1265.00	1
HM-094	SPN	16 / 18 WAY	1580.00	1




POLYCARBONATE



HARISONS®
THE ELECTRIC PEOPLE


Switchgears

IRON CLAD SWITCHES



CODE	AMPS.	RATE	PKG.
HM-095	16A. 240 V.	860.00	18
HM-096	32A. 240 V.	1410.00	12
HM-097	16A. 415 V.	1850.00	8
HM-098	32A. 415 V.	2510.00	6
HM-099	63 A. 415 V.	4930.00	4

SHEET METAL SWITCHES



CODE	AMPS.	RATE	PKG.
HM-100	16A. 240 V.	750.00	24
HM-101	32A. 240 V.	1190.00	20
HM-102	16A. 415 V.	1410.00	16
HM-103	32 A. 415 V.	1960.00	12
HM-104	63A. 415 V.	4275.00	5
HM-105	100 A. 415 V.	10760.00	2
HM-106	200 A. 415 V.	16500.00	1

CHANGE OVER SWITCHES



CODE	AMPS.	2 POLE	3 POLE	4 POLE	PKG.
HM-107	16A. 415 V.	1375.00	1950.00	2255.00	-
HM-108	32A. 415 V.	1925.00	2450.00	2810.00	-
HM-109	63A. 415 V.	4125.00	5300.00	6545.00	-
HM-110	100A. 415 V.	-	-	11055.00	-
HM-111	200A. 415 V.	-	-	17500.00	-

BUS BAR CHAMBER (WITH COPPER STRIPS)




CODE	AMPS.	9"X10"X3"	15"X12"X4"	24"X16.5"X6"	36"X18"X6"
HM-112	32 A.	2640.00	-	-	-
HM-113	63 A.		4235.00	-	-
HM-114	100 A.		4840.00	-	-
HM-115	200 A.		-	8910.00	-
HM-116	300 A.		-	-	-
HM-117	400 A.		-	-	-




HARISONS®
THE ELECTRIC PEOPLE

Industrial Products




PORCELAIN KIT KAT FUSE

CODE	AMPS.	RATE	PKG.
HM-118	16A. 240 V.		
HM-119	16A. 415 V.		
HM-120	32A. 415 V.		
HM-121	63A. 415 V.		
HM-122	100 A. 415 V.		
HM-123	200A. 415 V.		




REVERSED FORWARD SWITCHES

CODE	AMPS.	RATE	PKG.
HM-124	16A. PILOT R.F. SWITCH WITH BACKELITE HANDLE	380.00	
HM-125	16A. PILOT R.F. SWITCH WITH STEEL HANDLE	460.00	
HM-126	16A. DELUXE R.F. SWITCH WITH BACKELITE HANDLE	500.00	
HM-127	16A. DELUXE R.F. SWITCH WITH STEEL HANDLE	580.00	
HM-128	25/32A. DELUXE R.F. SWITCH	990.00	



METAL CLAD PLUGS & SOCKETS

CODE		AMPS.	RATE
HM-129	PLUG	20A. 240 V. 2 POLE	220.00
HM-130	SOCKET	20A. 240 V. 2 POLE	265.00
HM-131	PLUG	20A. 440 V. 3 POLE	265.00
HM-132	SOCKET	20A. 440 V. 3 POLE	300.00
HM-133	PLUG	30A. 440 V. 3 POLE	
HM-134	SOCKET	30A. 440 V. 3 POLE	



AC BOX WITH FITTED PLUG & SOCKET

CODE	AMPS.	RATE	PKG.
HM-135	20A. 240 V. 2 POLE AC BOX	850.00	-
HM-136	20A. 440 V. 3 POLE AC BOX	990.00	-
HM-137	30A. 440 V. 3 POLE AC BOX		-
HM-022A	32A. D.P. MCB WITH ENCLOSER	400.00	-



Moulded Case Circuit Breaker



Check Our Website

HARISONS[®]
 THE ELECTRIC PEOPLE

DHARAM INDUSTRIES

244/E, B.T. COMPOUND, OFF. S. V. ROAD,
 MALAD (W), MUMBAI-400064,
 MAHARASHTRA (INDIA)

www.harisonsindia.com Email: info@harisonsindia.com

HELPLINE : (022) 2844 1111

AN ISO 9001:2015 CERTIFIED CO.